

ARTICLE III. - FIRE PREVENTION CODE AND STANDARDS

Sec. 13-75. - Adopted.

The most current edition and any subsequent editions of the following are adopted by reference and made a part hereof, as if fully set forth herein:

(1)

The International Fire Code, 2006 edition, and reference codes and standards, published by the International Fire Code Council, 2202 Leesburg Pike, Suite 708, Falls Church, Virginia 22041-3401, except as amended by this chapter.

(2)

NFPA 1 and 101, 2006 edition, as published by the National Fire Protection Association, 1 Batterymarch Park, P.O. Box 9101, Quincy, Massachusetts, 02269-9101

(3)

The following Wisconsin Administrative Code chapters:

Wis. Admin. Code ch. Comm 4	Signs for Smoking Areas
Wis. Admin. Code ch. Comm 5	Credentials
Wis. Admin. Code ch. Comm 7	Explosive Materials
Wis. Admin. Code ch. Comm 9	Manufacture of Fireworks
Wis. Admin. Code ch. Comm 10	Flammable and Combustible Liquids
Wis. Admin. Code ch. Comm 14	Fire Prevention, except subch. III, which is deleted
Wis. Admin. Code ch. Comm 15	Cleaning and Dyeing
Wis. Admin. Code ch. Comm 16	Electrical
Wis. Admin. Code ch. Comm 18	Elevators
Wis. Admin. Code chs. Comm 20-25	Uniform Dwelling Code
Wis. Admin. Code ch. Comm 28	Smoke Detectors
Wis. Admin. Code ch. Comm 32	Safety And Health Standard For Public Employees
Wis. Admin. Code ch. Comm 40	Gas Systems
Wis. Admin. Code ch. Comm 43	Anhydrous Ammonia
Wis. Admin. Code chs. Comm 50—64	Building and Heating, Ventilation and Air Conditioning (built prior to July 1, 2002)
Wis. Admin. Code chs. Comm 61—65	Wisconsin Commercial Building (built on or after July 1, 2002)
Wis. Admin. Code ch. Comm 66	Uniform Multifamily Dwellings (built prior to July 1, 2002)

Wis. Admin. Code ch. Comm 69	Barrier-Free Design
Wis. Admin. Code ch. Comm 70	Historic Buildings
Wis. Admin. Code ch. Comm 73	Illumination
Wis. Admin. Code chs. Comm 75—79	Existing Buildings
Wis. Admin. Code chs. Comm 81—87	Plumbing

(4)

In case of a conflict between any provisions of this chapter, this Code, the Wisconsin Administrative Code, or the International Fire Code, the code containing the strictest provisions shall apply.

[REDACTED]

■

[Redacted]

■

[Redacted]

■

[Redacted]

[Redacted]

[Redacted]

[Redacted]

[Redacted]

Sec. 13-78. - Amendments and modifications.

The following amendments to the International Fire Code adopted in [section 13-75](#) are hereby adopted and incorporated by reference in such fire code:

■

[Redacted]

■

[Redacted]

■

[Redacted]

■

[REDACTED]

[REDACTED]

(27)

Section 903.3.7 is added. Multiple fire department connections. Where multiple fire department connections are provided for sprinkler or standpipe systems on the same structure, all such systems shall be interconnected in accordance with NFPA 14.

[REDACTED]

[REDACTED]

[REDACTED]

[REDACTED]

[REDACTED]

[REDACTED]

[REDACTED]

[REDACTED]

(31)

Exceptions from sections 907.2.1, 907.2.2, 907.2.3(2.), 907.2.4, 907.2.7, 907.4.1 eliminating the need for manual pull stations are deleted.

[REDACTED]

[REDACTED]

[REDACTED]

[REDACTED]

[REDACTED]

[REDACTED]